

Repetitive Transcranial Magnetic Stimulation (rTMS) Authorization Request Form

Securely email form to: outpatient_team@carelon.com

Please attach your intake assessment for TMS that documents the items below for: diagnosis (and associated symptoms), past trials of TMS, psychotherapy, psychopharmacology, and psychometric measurement.

☐ In Network		☐ Out of Net	twork			
Member Name:		DOB:	Gender:			
Health Plan:		Policy #:	,			
Date and Time of Request:						
Treating Clinician/Facility:						
If the treating clinician is not making this request, has the treating clinician been notified? ☐ Yes ☐ No						
Phone #:		NPI/TIN:				
Servicing Clinician/Facility:		I				
Phone #:		NPI/TIN:	NPI/TIN:			
1. Diagnosis code and des	cription:					
	·					
2. Does the Member have a history of TMS attempts in the past?						
□ Yes						
□ No						
If yes, was there a positive outcome?						
□ Yes						
□ No						
	adequate trial of evidence-	based psychotherapy, withou	it significant improvement within the past 5 years?			
□ Yes □ No						
Type of psychotherapy:						
Dates of evidence-based psychotherapy trial:						
If the Member has not had a	n adequate trial of evidence-	based psychotherapy, what is th	ne reason?			
		ns taken within the past five y				
Medication Name	Dose	Dates of Use (Start and End Dates)	Response Atypical Agents			
			☐ Improved ☐ Inadequate Response			
			☐ Adverse Response ☐ Intolerability ☐ Non-adherence ☐ Other			
			☐ Improved ☐ Inadequate Response☐ Adverse Response☐ Intolerability			
			□ Non-adherence □ Other			
			☐ Improved ☐ Inadequate Response			
			☐ Adverse Response ☐ Intolerability ☐ Non-adherence ☐ Other			
			☐ Improved ☐ Inadequate Response ☐ Adverse Response ☐ Intolerability			
			□ Non-adherence □ Other			
			☐ Improved ☐ Inadequate Response			
			☐ Adverse Response ☐ Intolerability			
			□ Non-adherence □ Other			



A Carelon Behavioral Health Company

Medication Name	Dose	Dates of Use (Start and End Dates)	Response Atypical Agents		
			□ Improved □ Inadequate Response □ Adverse Response □ Intolerability □ Non-adherence □ Other		
Please list any augmenting agents used:					
If no medications were used, are they contraindicated? ☐ Yes ☐ No					
5. Were any of these meds used during this depressive episode?					
□ Yes, list medications: □ No					
If yes, was improvement inadequate at adequate dose and duration? ☐ Yes, list dose and duration: ☐ No					
If yes, was the medication discontinued due to side effects? ☐ Yes, list side effects: ☐ No					
6. Please check all that app	ly:				
□ Vagus Nerve Stimulator leads in the carotid sheath □ Other implanted stimulators controlled by or that use electrical or magnetic signals □ Conducive or ferromagnetic or other magnetic-sensitive metals implanted or embedded in head or neck within 11.81 inches (30 cm) of TMS coil placement other than dental fillings □ Acute or chronic psychotic disorder □ Seizure disorder or history of seizure disorder □ Substance abuse at time of treatments □ Severe dementia □ Non-adherence with previous depression treatments □ None of the above					
7. Will the first treatment session include determining correct magnetic pulse strength and placement of the magnetic coil?					
□ Yes □ No					
8. What is the Member's most recent score on a validated self-report depression rating scale?					
Rating scale used:					
Score:					
Date completed:					